

STATE WIDE VACANCY ANNOUNCEMENT (SWVA)

G1 ENLISTED PERSONNEL ARKANSAS NATIONAL GUARD BLDG 7202, ROBINSON MTC NORTH LITTLE ROCK, AR 72199-9600	DATE: 5 January 2021	SWVA CONTROL NUMBER: 2021-SWVA-005
OPEN TO: Current members of ARARNG or those eligible to become members of the ARARNG	Applications will be accepted until: 31 AUGUST 2021 OR UNTIL FILLED	
POSITION TITLE, SERIES, GRADE, PARA/LINE: Water Treatment NCO / 92W, E5, 204 / 03 (1 POS)	APPOINTMENT FACTORS: See Paragraphs Below	
UNIT, LOCATION OF POSITION: 875 th FSC, Jonesboro, AR 72404	MINIMUM GRADE: SPC (E4)	MAXIMUM GRADE: SGT (E5)

BACKGROUND:

- (1) Reference: ARNG-HRH 24 July 2012 State Wide Vacancy Announcement (SWVA) Procedures (PPOM #12-057).
- (2) Background: ARARNG has been unable to fill the below NCO vacancy IAW AR 600-8-19 and the ARARNG MOI for 2020 EPS Board. Thus, this SWVA is hereby implemented to identify and assign Soldiers to voluntarily fill a Traditional NCO vacancy.
- (3) **This is a Traditional “M-Day” position. It is NOT a full-time position.**

SOLDIER INCENTIVES:

Any change in a Soldier’s MOS, except as provided by normal rank progression as outlined in DA PAM 611-21, is not allowed and will terminate that Soldier’s Select Reserve Incentive Program bonus, with recoupment. Accepting a SWVA slot is voluntary change of MOS and falls outside of normal rank progression. Applicants should contact the ARARNG Incentive Manager at 501-212-4028 to determine any possible termination and/or recoupment actions that may result from accepting this position.

DUTIES:

The water treatment specialist supervises or performs installation, operation of water purification equipment, water storage and distribution operations and activities. Conducts water reconnaissance. Develops water sources and water points. Supervises and trains soldiers to perform water treatment tasks. Performs operator maintenance and inspects operational condition and maintenance of equipment. Determines treatment method and treats water for purification. Analyses and verifies test results of raw and treated water. Maintains and inventories water treatment equipment and chemical supplies. Prepares water treatment reports.

SPECIFICATIONS:

Physical demands rating and qualifications for initial award of MOS. The Water treatment specialist must possess the following qualifications:

- (1) Physical demands rating of Significant (Gray).
- (2) A physical profile of 211221.
- (3) Normal color vision.
- (4) Qualifying scores.

(a) A minimum score of 90 in aptitude area GM in Armed Services Vocational aptitude Battery (ASVAB) tests administered prior to 2 January 2002.

(b) A minimum score of 88 in aptitude area GM on ASVAB tests administered on and after 2 January 2002.

(c) A minimum OPAT score of Standing Long Jump (LJ) – 0140 cm, Seated Power Throw (PT) – 0400 cm, Strength Deadlift (SD) – 0140 lbs., and Interval Aerobic Run (IR) – 0040 shuttles in Physical Demand Category in “Significant” (Gray).

(5) Formal training (completion of MOS 92W course conducted under the auspices of the U.S. Army Quartermaster School) mandatory or meet the ACASP criteria per paragraph 9-5b(5)(b) of this pamphlet and in paragraph (6) below. Waiver for formal training or ACASP criteria must be submitted to Cdr, USAQMC&S, ATTN: ATSM-QMG, Ft Lee, VA 23801-5032 for approval.

(6) ACASP qualification criteria. Must have 2 years of experience or combination of formal training and experience totaling 2 years in water treatment plant operations.

Additional skill identifiers. (1) P5--Master Fitness Trainer.

(2) 2B--Air Assault (personnel only).

(3) 2S--Battle Staff Operations (SL 3 and above).

(4) 4A--Reclassification Training.3

(5) 5W--Jumpmaster (personnel only).

(6) 6T--Military Auditor (Reserve Component personnel only).

(7) 8P--Competitive Parachutist (skill level 2-4 personnel only).

Physical requirements and standards of grade. Physical requirements and SG relating to each skill level are listed in the following tables:

(1) Table 10-92W-1. Physical requirements.

(2) Table 10-92W-2. Standards of grade TOE/MTOE.

(3) Table 10-92W-3. Standards of grade TDA.

Point of Contact for duty description: 1SG Virginia Lenser– 87th TC SR HR NCO at 501-212-5088

Selecting Supervisor: CSM Jeff Michau- 87th TC CSM at 501-212-5088

Approval Authority: CSM Rick Megoloff, ARARNG State Command Sergeant Major

APPLICATION INSTRUCTIONS:

All applications must be submitted via email to the Enlisted Personnel Manager at ng.ar.arang.list.enlisted-promotions@mail.mil

- a. Letter of interest from individual indicating desire to voluntarily transfer to the advertised position and meet all MOS and NCOES requirements within required timelines of PPOM #12-057.
- b. Letter of acknowledgment from current unit commander. (If not on a current EPS list)
- c. Enlisted Record Brief (ERB).
- d. Last 3 NCOERs. Memorandum may be provided to explain less than 3.
- e. Current DA Form 705
- f. Certified Height/Weight or DA 5500 or 5501 if exceed Screening Table Weight.

