

STATE WIDE VACANCY ANNOUNCEMENT (SWVA)

G1 ENLISTED PERSONNEL ARKANSAS NATIONAL GUARD BLDG 7202, ROBINSON MTC NORTH LITTLE ROCK, AR 72199-9600	DATE: 19 January 2022	SWVA CONTROL NUMBER: 2022-SWVA-013
OPEN TO: Current members of ARARNG or those eligible to become members of the ARARNG	Applications will be accepted until: 31 AUGUST 2022	
POSITION TITLE, SERIES, GRADE, PARA/LINE: #3 UTILITIES EQUIPMENT REPAIR 91L, E5, 606/12 (3313923)	APPOINTMENT FACTORS: See Paragraphs Below	
UNIT, LOCATION OF POSITION: E CO. 39TH BSB, BENTON, AR	MINIMUM GRADE: SPC (E4)	MAXIMUM GRADE: SGT (E5)

BACKGROUND:

- (1) Reference: ARNG-HRH 24 July 2012 State Wide Vacancy Announcement (SWVA) Procedures (PPOM #12-057).
- (2) Background: ARARNG has been unable to fill the below NCO vacancy IAW AR 600-8-19 and the ARARNG MOI for 2020 EPS Board. Thus, this SWVA is hereby implemented to identify and assign Soldiers to voluntarily fill a Traditional NCO vacancy.
- (3) **This is a Traditional “M-Day” position. It is NOT a full-time position.**

SOLDIER INCENTIVES:

Any change in a Soldier’s MOS, except as provided by normal rank progression as outlined in DA PAM 611-21, is not allowed and will terminate that Soldier’s Select Reserve Incentive Program bonus, with recoupment. Accepting a SWVA slot is voluntary change of MOS and falls outside of normal rank progression. Applicants should contact the ARARNG Incentive Manager at 501-212-4028 to determine any possible termination and/or recoupment actions that may result from accepting this position.

DUTIES:

The construction equipment repairer supervises and performs field level maintenance on construction equipment which includes that used for earthmoving, grading, and compaction; lifting and loading; quarrying and rock crushing; asphalt and concrete mixing, and surfacing; water pumping; air compression and pneumatic tools; and powered bridging. Performs duties in preceding skill level, supervises junior grade Soldiers and provides technical guidance to the Soldiers in the accomplishment of their duties. Troubleshoots, repairs and overhauls engines, final drives, power trains, hydraulic systems, and fuel system components. Performs welding and cutting to accomplish repairs.

SPECIFICATIONS:

Physical demands rating and qualifications for initial award of MOS. The Cable systems installer-maintainer must possess the following qualifications:

- (1) Physical demands rating of Moderate (Gold).
- (2) A physical profile of 222222.
- (3) Normal color vision.
- (4) Must possess finger dexterity in both hands.
- (5) Must not be allergic to refrigerant gases or petroleum related products.
- (6) Qualifying scores.

(a) A minimum score of 90 in aptitude area MM in Armed Services Vocational aptitude Battery (ASVAB) tests administered prior to 2 January 2002.

(b) A minimum score of (87 in aptitude area MM and 85 in aptitude area GT) or minimum score of 92 in aptitude area MM on ASVAB tests administered on and after 2 January 2002.

(c) A minimum OPAT score of Standing Long Jump (LJ) - 0120 cm, seated Power Throw (PT) - 0350 cm, Strength Deadlift (SD) - 0120 lbs., and Interval Aerobic Run (IR) - 0036 shuttles in Physical Demand Category in "Moderate" (Gold).

(5) Formal training by completion of MOS 91L course conducted under the auspices of the USA Ordnance School is mandatory unless Soldier meets the civilian acquired skills criteria per paragraph 9-5b(5)(b) of this pamphlet and in paragraph (6) below or a waiver is approved by the Commandant, U.S. Army Ordnance School, Fort Lee, VA 23801

(6) ACASP qualification criteria. Must have 2 years of experience or a combination of formal training and experience totaling 2 years in the maintenance and repair of gasoline, diesel, electric-powered engine construction and associated equipment; be certified as Civil Service-rated construction equipment repairman, WG-4; have 2 years of experience and be apprentice member of Operating Engineers, AFL-CIO, or equivalent; or possess two or more Automotive Service Excellence (ASE) certifications in the auto or truck area.

Additional skill identifiers.

- (1) H8--Recovery Operations.

Point of Contact for duty description: MSG Edward Palmer– 39th IBCT SR HR NCO at 501-212-6702
Selecting Supervisor: CSM Jessie Parsons- 39th IBCT Command Sergeant Major at 501-212-5408
SWVA and EPS Oversight Authority: CSM Paul Winkle, ARARNG State Command Sergeant Major

APPLICATION INSTRUCTIONS:

All applications must be submitted via email to the Enlisted Personnel Manager at

adam.w.burch.mil@army.mil

viola.n.schaeffer.mil@army.mil

APPLICATION CHECKLIST:

- a. Letter of interest from individual indicating desire to voluntarily transfer to the advertised position and meet all MOS and NCOES requirements within required timelines of PPOM #12-057.
- b. Letter of acknowledgment from current unit commander. (If not on a current EPS list)
- c. Enlisted Record Brief (ERB).
- d. Last 3 NCOERs. Memorandum may be provided to explain less than 3.
- e. Current DA Form 705
- f. Certified Height/Weight or DA 5500 or 5501 if exceed Screening Table Weight.

